

PRO-Advanced

Patient Emergency Trolley



Product Data Sheet

FEATURES & HIGHLIGHTS

PRO-Advanced Patient Emergency Trolley

TECHNICAL PARAMETERS

• External size (L*W*H):	1930x640 mm
• Table height adjustment:	540-840 mm
• Back plate adjustment:	0-75°(±10°)

TECHNICAL CONFIGURATION

• Crank system	1 set
• Back plate air spring	1 set
• ABS side guardrail	1 set
• 6" castors with central locking system	4 pcs
• Directional wheel	1 pc
• Centrallocking pedal	2 pcs
• Directional pedal	2 pcs
• IV pole	1 set
• IV pole prevision	2 pcs
• Oxygen bottle holder	1 pc
• Transfer mattress	1 pc
• Strips	2pcs






Metal Material

Baosteel from Fortune Global 500. Panasonic Robotic ensures 360° full smooth welding.



Painting

11-process epoxy painting, ASTM testing anti-bacterial, paint thickness 0.12mm, brightness 60°. Painting can resist 50 kg impact



Plastic

Environmental plastic can be sterilized at 100°C, tensile strength up to 30MPa.



Double Side Castors

Four double-side castors of 6-inch diameter, simultaneously lockable by the step pedal at both sides. TPR tire no worn out after running 30 km, save anti-winding hard shell united forming without bolts.



Telescopic IV Pole

Plastic combined with stainless steel, 4 hooks V pole (16-19), two IV pole provisions separated on the head & foot part.



Stainless Steel Handle

Stainless steel handle, more durable.



Bed Frame and Chassis

Both with 30*50mm square tube, stronger and more stable.



Bed Platform and Side Rail

The bed platform and side rails are made of high-quality PP (polypropylene) material.



Backrest Elevation

Backrest elevation up to 70°, providing comfort to the patient when necessary.



Central Directional Wheel

Can be locked to facilitate steering control, allowing users to maneuver the stretcher with ease in crowded and dynamic environments.



Oxygen Tank Holder

Two positions for a 2 L, 105 mm oxygen tank: one under the headrest and another on the chassis with a strap.



Straps / Bands

Includes bands to prevent the patient from sliding off the stretcher. Standard thin mattress, 2 cm thick, density: 28 kg/m³, color: dark blue.



Manufactured by

Promixco Limited

Factory: 103/1, Promixco Industrial Park Road,

Mouchak, Kaliakair, Gazipur-1750, Bangladesh

Phone: +880 1733-200886

Email: info@promixcoltd.com

Website: www.promixcoltd.com

